Mapping July 2026

Last Modified on 07/15/2026 7:09 am CDT

Version 6.13

Web

- **HW-6167 / Cotton Harvest Event** – Units display as expected when changing *Yield Units* from pounds per acre (lb/ac) to bails per acre (bl/ac) during an import of a Cotton Harvest Event.
  - **Why** – The *Yield Unit* and *Lint %* unit changes were not being saved.
  - **When/Where** – Harvest Events are imported under the *Import* tab.
  - **Action Needed** – No action required.
- **HW-12524 / Import Boundary Column Selection** – A hard-coded Import Template called *Column Selection* (*.shp) of the Field Boundary Data Type was added to the Import Wizard.
  - **Why** – This upholds consistency and standardization on the Field Boundary Data Type.
  - **When/Where** – Field Boundaries are uploaded under the *Import* tab.
  - **Action Needed** – No action required.
- **HW-12677 / Field Setup Agvance Integration** – Adding a Field works as expected.
  - **Why** – Adding a Field originally resulted in an error.
  - **When/Where** – Fields are added under the *Fields* tab by selecting the **Ellipsis** for a Customer then choosing *Add New Field*.
  - **Action Needed** – No action required.
- **HW-12680 / Export Event Summary** – The Yield Avg for Cotton now displays as expected.
  - **Why** – The Yield Avg for Cotton was not displayed for manual and imported Events when using the *Export Event Summary* feature.
  - **When/Where** – The *Export Event Summary* option is available under the top context menu of the *Events* tab.
  - **Action Needed** – Access to the *Export Event Summary* feature must first be enabled for the User Role.

Mobile

- **HW-10302 / Soil Sampling** – Soil Sampling Events surface as expected.
  - **Why** – This would result in partial surfaces on some Sampling Events.
  - **When/Where** – Sampling Events are added under the *Events* tab.
  - **Action Needed** – No action required.
- **HW-12684 / Imported Event and Default Test Weight** – Importing Harvest Events not covering the entire Field and importing Planting Events work as expected. This now uses the Test Weight value of the User's Crop preference or defaults to the AgBytes value when not present.

    - **Why** – Importing Harvest and Planting Events was resulting in unnecessary prompts.
    - **When/Where** – Events are imported under the *Import* tab.
    - **Action Needed** – No action required.

Version 6.12

Web

- **HW-10070 / Customer Setup Agvance Integration** – Adding and editing Fields works as expected for connected Customers.
    - **Why** – This was originally resulting in error messages.
    - **When/Where** – Fields can be added or edited on the *Fields* tab in SKY Mapping.
    - **Action Needed** – No action required.
- **HW-11825 / Recs Report Application** – The Recs Report - Application and SKY Recs Report - Application reports now ignore the Sample Sites report parameter when Fields do not have a Sampling Event.
    - **Why** – Running these reports was resulting in error messages.
    - **When/Where** – The reports can be run in the *Reports* area of SKY Mapping.
    - **Action Needed** – No action required.
- **HW-12480 / Email Import Sampling** – The Sampling Email import of Modus results with the same name import as expected.
    - **Why** – Modus files with the same name were not appearing after being sent from the lab.
    - **When/Where** – Modus files are imported under the *Import* tab.
    - **Action Needed** – No action required.
- **HW-12481 / Defined Legend for Harvest Events** – A new User Role, *Defined Legend*, was added to the *Setup* area and includes two new menu options (*Record Grid* which navigates to a typical setup grid and *Add/Edit Page* which navigates to the Defined Legend add/edit page). Additionally, a *Layer Type* drop-down (*Application*, *Harvest*, *Planting*, *Application Rec*, *Planting Recs*), an *Attribute* drop-down (disabled until a *Layer Type* is selected), a *Crop/Crop Purpose* drop-down (*Harvest*, *Planting*, *Planting Recs*), and a *Product* drop-down for Application and Application Recs. A *Color Ramp* drop-down is also available that mirrors *Edit Layer Properties* and gives the ability to choose the number of classes. Saving the Defined Legends adds a Defined Legend Classification method option for the given Location and Attribute.
    - **Why** – This implements Defined Legends for Imported Harvest Events.
    - **When/Where** – The new menu options are available under the *Setup* menu.
    - **Action Needed** – The User logged in must have the *Defined Legend* User Role.
- **HW-12593 / Import EC Data** – The *EC Data Merge* option completes EC Data merges and surfaces as expected.
    - **Why** – An error was occurring when merging EC Data.

    - **When/Where** – EC Data is imported under the *Import* tab.
    - **Action Needed** – No action required.

Mobile

- **HW-12240 / Field Setup** – Recording an average accuracy value (in inches) was implemented for all GPS tracked boundaries when adding/editing Fields. Selecting and holding the header of the Field panel displays the User who last modified the boundary along with a timestamp. If the last modified boundary was GPS-tracked, a *Tracked Accuracy* value is displayed with two decimal places.
    - **Why** – This indicates the accuracy of added/edited boundaries.
    - **When/Where** – This is seen when adding/editing GPS-tracked Fields.
    - **Action Needed** – No action required.
- **HW-12658 / Manual Events** – Manual Events load as expected.
    - **Why** – This was originally resulting in an error.
    - **Action Needed** – No action required.